GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department- Major Irrigation - ABR - Submission Estimates for the work of "Providing Repairs to the Disturbed bund portion on U/S of Alaganur Balancing Reservoir (ABR) from Km 2.500 to Km 2.750 and providing instrumentation to main bund near Alaganur Village, Midthur (M), Kurnool District" - Administrative Approval - Accorded – Orders – Issued.

WATER RESOURCES (PROJECTS.III) DEPARTMENT

G.O.RT.No. 70 Dated: 03-03-2021

Read the following:-

1) From the Chief Engineer (P), Kurnool, Lr.No. CE/KNL/ICD32-TW0KCC/ 69/2019/DEE.4/AEE.3/ABR, dated:17.06.2019.
2) From the Chief Engineer (P), Kurnool Lr.No. CE/KNL/ICD32-TW0KCC/101/2019/DEE.4/AEE.3/ABR, dated: 29.08.2019.
3) From the Chief Engineer(P), Kurnool Lr.No.CE/KNL/ICD32-TW0KCC/152/2019/ DEE.1/AEE.3/ABR, dated:24.12.2019.
4) From the Chief Engineer (P), Kurnool Lr No.CE/KNL/ICD32/ TW0KCC/ 46/ 2020/ DEE1/ABR, dated:14.05.2020.
5) From the Chief Engineer (P), Kurnool Lr.No.CE/KNL/ ICD32-TW0KCC/ 100/ 2020/ DEE1/AEE3/ABR, dated:28.08.2020.

&&&&

ORDER:

In the circumstances reported by the Chief Engineer (Projects), Kurnool in the references read above, after careful examination of the proposal, Government hereby accorded administrative sanction for the estimate "providing Repairs to the Disturbed bund portion on U/S of Alaganur Balancing Reservoir (ABR) from km 2.500 to KM 2.75 and providing Instrumentation to main bund near Alaganur Village, Midthur (M) of Kurnool District" for an amount of **Rs.3,61,00,000/- (Rupees Three Crores and Sixtyone Lakhs only)** in relaxation of FRBM norms.

2. The above expenditure is debitable to the Head of Account :MH 4700 COL on Major Irrigation – 01 Major Irrigation (Commercial) – MH 109 KC Canal – GH 11 State Development Schemes – SH (26) Dam & Appurtenant works – 530 Major Works/531 Major Works.

3. The Chief Engineer (Projects), Kurnool shall take further action accordingly subject to the following conditions:

i)	The CE has to take up the work when the water level is below the damaged portion of the bund and without depleting the Reservoir.
ii)	The CE has to ensure corrections of quantities, leads, rates and data proposed in the estimate before according technical sanction.

4. This order issues with the concurrence of Finance (FMU.WR.II) Department vide their UO No. FIN01-FMU0PC(WR2)/135/2019-FMU-WR-II (Computer No:959627), dated:07.01.2021.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

J SYAMALA RAO
SECRETARY TO GOVERNMENT

To
The Chief Engineer (Projects), Kurnool
Copy to: The Director of Works & Accounts, Vijayawada
Finance (FMU.WR.II) Department
The PS to Hon'ble Minister (WRD)
The PS to Secretary (WRD)
File No. ICD01/585/2019-PROJ-III(936167)
SF/SC //Forwarded::By Order//

SECTION OFFICER